



Dec. 9, 1893 - Jan. 2, 1894

Annotta Bay,	14, 17	
Blue Fields	49, 51	
Black River	48, 53	
Bog Walk	62, 65	
Boston Fruit Co's Wharf	11	
Bowden	11, 12	
Bowden Tertiary beds	11	
Braham's Estate	54	
Buff Bay	14, 15	
Constant Spring Hotel	5	
Falmouth	28, 30, 31	
Galena Point	20	
Great River	39	
Hope Bay	14	
Kingston	1, 48, 60	
Mandeville,	53, 54, 56, 60	
Mona House	60	
Montego Bay	31, 33, 37, 39	
Morant Bay	7, 10, 11	
Mt. Pleasant	44, 46	
Myrtle Bank	60	
Ocho Rios	25, 26	
Ora Cabessa	26	
Pt. Antonio	12, 13, 14	
Port Maria	17, 20, 24, 25	
Port Morant	10	
Queen's Road	37, 39	
Rio Cobre R.	62	
Rio Grance	15	
Roaring River	27	
Rockfort	3	
Rock Fort Road	1, 4, 7	
Savanna La Mar	39, 41, 43, 48	
St. Ann's Bay	24, 28	
Spur Tree Hill	53	
Stoney Hill	5	
Trochaletta	29	
Yallahs River	4	

Adamsiella 23, 26, 34, 38	Cylindrella gracilis 52, 57	Hyalosagda arboreoides 5, 11, 14, 15, 18, 40, 53	Planaxis lineolatus 32
Adamsiella grayana 63	Cylindrella gravesi 31	Hyalosagda hollandi 13	Planaxis nucleus 12
Adamsiella pulchrior 20, 25	Cylindrella gravis 33	Leucozomia cingulifera 50	Planorbis 39, 45, 48
Alcacia, 22, 34	Cylindrella nobilior 63	Litorina columellaris 2, 10	Planorbis affinis 3
Alcacia browni 45	Cylindrella rosea 57	Litorina lineata 10, 12, 20, 32	Pomus fasciata 45
Alcacia maxima 42	Cylindrella 63	Livona pica 24	Proserpina 54
Alcacia palliata 5, 37, 55, 57, 64	Cylindrella sanguinea 5, 44	Lucerna 5, 29, 35, 37, 41, 42, 43, 44, 49, 55	Proserpina bidentata 45
Amnicola 3, 45	Cylindrella seminuda 60, 63	Lucerna acuta 7, 56, 61	Proserpina discoidea 41, 49
Arca imbricata 10	Dialucca 43, 44, 53, 56	Lucerna sinuata, 55, 56	Proserpina nitida 57
Arca noae 10	Fissurella nodosa 50	Lucerna sinuosa 61	Proserpina opalina 57, 64
Asaphis deflorata 2	Geomelania 26, 37, 41, 44, 54, 58, 65	Lucina tigrina 32, 50	Pupa 14
Bulimulus 17, 18, 19	Glandina 5, 23, 26, 29, 38, 44, 55, 61	Lucidella 29, 61, 64	Purpura undata 14
Bulimulus unmaculatus 61	Glandina arcuata 53	Lucidella areola 14, 16, 17, 18, 34, 38, 45, 49, 53, 54, 57, 60, 63	Ranella granosa 16
Bulla striata 2, 50	Glandina ligata 57	Lyaretus maculatus 50	Sagda 15, 52, 55
Cardium muricatum 10, 50	Glandina procera 62	Macroceramus 53	Sagda elligans 37
Cereus monoclonos 2	Glandina similis 62	Mactra braziliiana 2	Sagda alorura 5, 62
Merithium algicola 32	Glyphis listeri 50	Melampus caffens 32	Sagda (Hyalosagda) arboreoides 62
Merithium ferrugineum 2	Helicina 13, 17, 18, 19, 26, 28, 34, 37, 40, 42, 43, 44, 50, 54, 55, 63	Melampus coffea 11	Sagda connectens 50
Merithium rissoides 32	Helix 13, 15, 33, 41, 54	Melongena melongena 15	Sagda cookiana 5, 56, 62
Choanopoma 54, 57, 58, 63	Helix (Lucerna) acuta 62	Microphysa 49, 53, 58, 60, 62	Sagda epistylum 33, 44, 56
Choanopoma interruptum 60	Helix aspera 36, 37, 41, 45, 53, 57, 63	Murex pomum 10	Sagda jayana 8, 61
Chondropoma 7, 12, 13	Helix boothiana 38, 44, 58	Natica uber 32	Sagda maxima 40
Conulus 19	Helix dialucca 58	Neretina 45	Sagda spiculosa 15, 23, 28, 50
Cyclostoma 15, 16, 17, 21, 26, 28, 31, 34, 44, 53, 55, 57	Helix jamsicensis 41, 45, 49, 55, 56, 58, 63	Neretina punctulata 16	Semela reticulata 2, 10
Cyclostoma album 26, 28	Helix macmurryi 41, 55, 58	Neretina tristis 39	Sistrum nodulosum 32
Cyclotus 6, 12, 50, 53, 55, 59	Helix nemoraloides 53, 56, 60	Neretina virginea 10, 14, 15, 50, 51	Spiraxis 63
Cyclotus acrasum 38, 45, 57	Helix peracutissima 33, 41, 56, 58	Nerita fulgurans 2	Stenogyra 5, 6, 8, 26, 28, 41, 54, 58
Cyclotus corrugator 22, 25	Helix pulchrior 8	Nerita peloronta 20, 32, 50	Stenogyra octona 1, 11, 13, 14, 34, 38, 40, 44, 49, 63
Cyclotus dubiosum 31, 34, 38	Helix (Lucerna) sinuata 62	Nerita tessellata 12, 20, 32	Stenogyra octonoides 23, 49, 57, 60
Cyclotus jugosus 41	Helix (Cystricopsis) tenerrima 62	Nerita versicolor 20, 32	Stenogyra pallida 34
Cyclotus portlandiensis 13	Helix (Cystricopsis) terrinda 62	Nochids 14	Stenogyra striosa 3, 13, 23, 26, 29, 44, 49
Cyclotus pretiosus 64	Hemisinus 46	Oleacina venusta 7	Stoastoma pisum 54, 58
Cyclotus ruber 29	Hemisinus lineolatus 27, 39, 45, 63, 64	Opnathius excavatus 7	Strombus bituberculatus 51
Cyclotus subrugosus 7	Hyalosagda 12, 19	Orthalicus undatus 1, 4, 8	Succinea 5, 17, 19, 27, 38, 42
Cyclotus zigzag 34		Patella 7	Succinea angustior 28, 44, 63
Cylindrella 5, 8, 28, 29, 37, 54		Perna obliqua 32	Succinea contorta 11, 12
Cylindrella alba 41		Perna sphippum 50	Succinea sagra 11, 13, 14, 15, 16, 23, 34, 41
Cylindrella aspera 13		Physa 45, 48	Tecturia 12
Cylindrella brevis 3, 8, 26, 68		Physa sowerbyana 39	
Cylindrella carnea 63			
Cylindrella cylindris 53			
Cylindrella elegans 54, 59			
Cylindrella elongata 5, 63			

Tectatius muricata 10, 20, 32
 Tectarius nodulosus 10
 Tectina fausta 50
 Tellina squinolaria 10
 Tralia pusilla 32
 Triton pilcaris 50
 Tritonidea ringens 16
 Trivia pediculus 51
 Trochatella 29
 Trochatella costata 29, 30, 31
 Trochatella pulchella 6, 22,
 26, 27, 34, 54, 57, 64
 Trochatella tenuis 14
 Truncatella 32
 Tudora 6, 11, 21, 27, 30, 31,
 44, 50, 65
 Tudora armata 3, 5, 7, 60
 Tudora fascia 63
 Tudora redfieldiana 49
 Turbo cataneus 2
 Umphalius fasciatus 32
 Vaginulus 63
 Venus 10
 Zonites 5, 8, 11, 14, 18, 23,
 26, 28, 29, 34, 38, 40, 41, 44,
 49, 54, 62

Collecting Notes
 in
 Jamaica

the
 Rock

all
 the
 very

with

the

to

the

of

the

v

1

Saturday Dec. 9 - 1893

Collected about one mile
East of Kingston on Rock
Fort road Stenogyra
octona - in damp place
in loose earth and under
decaying cocoanuts - very
abundant - in rubbish

One half mile further
on in woods to right of
road Orthocentrus undatus
very abundant on
trees, climbing 20 or 30
feet from ground - often
hanging in groups of
8 or 10 - All or nearly
all cresting - Some
eggs observed large as
bullet - Especially
abundant on Tale

2

cactus (Cereus monacloides)
One half mile beyond
where road touches harbor
at water edge - Cerithium
ferrugineum⁽¹⁾, Nerita
fulgurans⁽²⁾, Asaphis
difflorata (dead) very
abundant - Maclura
brasiliensis⁽¹⁾, Turbo castaneus⁽²⁾
~~less so~~ - Also some
Littorina columellaris -
Bucca striata + Semelle
reticulata

Sunday Dec 10

Simpson col. near
Rockport in thick scrub
foot of mountain Tudora
annata buried under
leaves and in decomposed
limestone. Abundant -

Cylindrella brevis (?)
same loc.

Microphyca perdepressa (?)
same loc.

In pools by road side
(running spring)

Planorbis affinis (?) also
annicola - ?

Stenogyra striosa E.B.A.

4

Monday Dec. 11

Same as Saturday -

Note the great abundance
of orthalicus undatus +
the fact that with one
exception this small
wood is the only locality
on the island for this
species - ~~2~~ Not so!

Found later in woods
near Yallahs River -

Sagda cookiana C.B.A.

5
Tuesday Dec 12

Collected about 20 species
along the road from the
Constant Spring Hotel up
Stoney Hill - In small broken
limestone - *Cylindrella*
sanguinea fr. abundant -
Sagda alveata, fr. under stones
living - also *Hyalosagda abortiva*,
Zonites ♂ - *Cylindrella*
elongata - *Glandina* -
Microstoma -
Tudora anomala ♂ - One
or two dead *Sagda cookiana*
Alcadia palliata C.B.A.
Succinea largest var. or
species alive and dead -
Also the small one under
stones - *Succinea* - ♂ +
a very small *Cylindrella*

also dark colored short
Tudora - Trochatella
pulchella - dead Cyathus.
Stenogyra (s.)

Wednesday 13 Dec '93

Started on our trip around island making Morant Bay for night -

On road past Rockfort all the way to Morant Bay collected at various points.

Onychophorus excavatus.

Patella - ♂.

Tudora armata CBA.

Hyalosagda arboroides CBA. abundant under stones and leaves.

Meacina vincta Ad.

Condorpona (?)

Cyclotus subungosus, *Sby. fuscus*, The medium sized (*Calcula*) very abundant under stones and rubbish - In some places the ground is

Fissurella bartolomei

Hyalosagda oculata CBA.

v. delineata CBA. ♂.

Glandina sinichi CBA

Cylindrella aspera C.B.A.
 " *intermedia* C.B.A.

covered with the dead
 shells of these in various
 states of preservation -
Cylindrella very similar
 to *Anguinea* - C. *lucis*,
Cylindrella - ? small -
Helix pulchra L? about
 20 specimens - good but dead.
Zonitis L? two species apparently
 very small *Stenogyra* -
 One or two dead *Sagda jagana*
 dead -

Many *Orthalicus undatus*
 dead and very dark - none
 on trees observed -

Eggs often found evidently
 of *Orthalicus undatus* sized
 of 44 Cal. bullets white
 oval + smooth - also
 some smaller and
 corrugated very thin shell

Lucerna Eggs?

9
white - living and dead
Some very large slugs
on chips of wood -

Thursday 14 Dec '93

On beach bet. Morant Bay
and Port Morant.

Tectarius muriculus
" nodulosus

Litorina lineata

On rocks -

Tellina squinolaria -

Beach at Port Morant -

Venus — ?

Cardium muricatum

Litorina columellaris

Uvula pumila

Neritica virginea

Anca imbricata

" Noe

Senecio ciliolata

Venus — ?

Tectarius muricatus on
stones

Stenogyra striosa C.B.A.
Hyalosagda hollandi C.B.A.

At Bowden on the
mangrove roots in the
harbor (Morant)

Melampus coffea (a
small variety) -

The day spent in
getting fossils from the
Bowden tertiary beds +
no attempts at land
collecting - but a few
minutes near the Boston
Fruit Co. wharf -

Stenogyra octona
Hyalosagda arboroides C.B.A.
Tudora - ?
Goniatites - ?
Succinea contorta C.B.A.
" *Sagra* Ort

Friday Dec. 18793

From Bowden to Pt. Antonio
Did very little collecting
on account of distance
to be covered by night

Condriopsis?

Hyaloragda — ?

Hydractis — ? a few

Observed on rocks on beach

Therapsis tessellata

Stenopus lineatus

Tide Tectarius —

Planaxis nucleus

(?) *Succinea contracta* C.B.A.

Saturday Dec 16/93.

Bridged all morning
in West & East Bays of
Pt Antonio - also on
off the open sea without
finding anything - not
seen a whale -

Simpson collected during
the day back of the Trench
in the limestone caves &
Thermal vents -

Cyclotus portlandensis Chitt
Coniropoma

Cyclophorus aspera C.B.A.
Acrocerus ~~by~~ Sagra, Arb.

Helix - ?

Planorbis - ?

Stenogom octona

" *striosa* C.B.A.

Hyalovirga hollandi C.B.A.

Hyalosagda hollandi C.B.A.
Stenogyra octonoides
" *striosa* C.B.A.
Glandinaiota, ad.

14
Sunday Dec 17/93

From Port Antonio to
Amsett Bay -

New Hope Bay is a
barren grove

Lucidella lucida

Stenogyra octonoides

Hyalosagda arborvix

Luccinella sagra Or

Pupa

Goniatites -

Trocharella tenuis?

New Hope Bay

On rocks some distance
from the sea hermit crabs
in *Parapena undata*.

Meretrix virginea & *Modiolus*.

Hermit crabs often seem
to wander some distance
back into the woods - loc.

Glandina nemorosa Alls
Familis
Stoastoma gouldiana C.B.A.

on the hills fairly fresh
specimens of *Melongera*
Melongera seen & an
occasional *Pionia pica*
evidently brought by
hermits)

In the rio grande near
the sea on rocks *Merlina*
virginea (small var. very
pretty) abundant -

On hill at Buff bay -
Sagda spiculosa Shuttle.
Hyalodagda arborescens C.B.A.
Heli -

Cyclotoma or *Tudora* with
red lip -

On margin of small
stream at foot of same
hill -

Sagda
Fuccinea sagu Orb

On walls (Stone & Cement)
of bridge crossing same
stream

Lucidella auricola
abundant -

Cyclotoma? - (same)

Fuccinea - *lagna* Orb.

In the muds near the Crabs
numerous - One in

Acetina punctulata -

Tritonidea ringens

~~Fr~~ *Ranella* - *granosa?*

17
Monday Dec 18/93

From Anvolta Bay to Port
Maria - very hard rain all
day making collecting
difficult - we carefully
observed banana plants -
for *Heliconia aspera* but saw
none - About two miles
from Port Maria on fence
posts (wet from rain)

Cyclotoma or *tudora*
Large *Heliconia* (white)
Heliconia auricola
Succinea - ?

About a mile further
on towards Port Maria
in a log wood forest a
very beautiful white-
Bulinus with red
tip abundant - Alive

2 specimens of
Bulinus

on trees and dead but in perfect condition on the ground & in the dirt at foot of trees - along with *Halicina* of apparently three species or varieties.

One pure white & rough texture - One smooth white base & reddish spine with black ~~splotches~~ spots - 3rd white with red bands - all large -

Also *Jovitis*

Hyalozagda arboroides

Incudella asucola

Jovitis -

We took about 500 of the Bullam & 200

Halicinas -

At base of one tree (log-wood) I took 22

Succinea Sayana Wb.

19

Bulinulus 19 Helicina,
some Hyalosagora + several
succinea - Owing to the
drizzling rain we were
obliged to abandon the
field for the afternoon -

In the logwood forest we took
a skull evidently

"Conulus" or something
allied to "Guppyi" - Some
four or five of these only -

Tuesday Dec. 19th

Owing to the rain we
are obliged to remain at
this point all day.

On rocks west of town
Neula uncinata

" *pelocoma*

" *versicolor*

Tectaria muricata
Litorina lineata -

At Gallina point
in woods (coconut)
on & about limestone
rocks

Adamsiella pulchra
abundant - We took
about 2000 of them alive
& dead - The live ones
hide in fissures of and

Hyalorapda hollandi C.B.A.

The limestone rock +
The honey comb holes -

The dead in gravel at
base of these rocks -

A splendid white
operculum

Cyclotoma?

fairly abundant on
same rocks and upon
decaying wood
piles - The dead
lying about everywhere

This (as well as
the *Adamsella*) has
bright red tentacles
that quiver as the animal
crawls along - About 500
of these taken -

Same station

Tudora?

22
long and slender - very
abundant dead (some
alive) in gravel and
under decaying vegetation.
About 1000 taken -

Same station

Trochantele pulchella
65 taken - all dead but
in fair condition -

One dead accidia

Cyclotus corrugatus living
under rotten and
dead specimens
everywhere - This seems to
be the favorite ~~stomach~~ choice
of the hermits who
wander about the
rocks and forests in them.

Cyclotus anastatus Chilly
" granulatus Chilly

This Cyclopus is smaller
than the Port Antonio
species - About 90 taken.

~~Succinea~~ Succinea 14th August 1880
" Sagua Orb

Similar - ? dead,
abundant

Stenogyra striosa C.B.A.
Some very small Stenogyra -

Stenogyra octonoides -
3 Glandina - ? taken
dead but in fair condition
along with Adamsiella & C

~~2 specimens of Sagda - ?~~
Sagda spiculosa, Shuttle.

Glandina similis C.B.A.

24

Wednesday Dec. 20/93

Pt Maria to St. Ann's bay -

This is the region that
Bridges pronounced excellent
collecting land and marine -

The marine collecting so
far - according to our
superficial observation is
extremely poor - With the
exception of some few species
living on the rocks above
tide nothing has been
seen since leaving
Kingston Harbor and
Port Morant. The sand
beaches seem destitute
of any sign of molluscan
life - Occasional dead
specimens of *Picaria*
picta evidently brought

25
up by hermit - are met
with along the road &
according to a native at
Ocho Rio they are to be
found on the rocks of the
outer reef of that so called
harbor - No brachyopods have
been noted since leaving
Kingston Harbor - (Port Morant)

Near Port Maria on
the ground & under
rubbish in cocconut
grove

Cyclotus corrugatus, Chitty
a
rough corrugated form -
Adamsiella pulchra
a few and.

Adamsiella - 2
black lead color with
red lip -

Cyclotus nova spei, Chitty
" *portianus*, Chitty

Succinea lagda, Orb

Proserpina opalina Ad

Hyaloragda hollandi
Lagda spiculosa Small.
Glandina similis C.B.A.

Cyclotus corugatissimus, Chitty

26
Cyclotoma album? though
not so abundant as at
Galena point -

Stenogyra striosa C.B.A.
Trochatalia pulchella in
the woods -

At Ora Cabessa a few
Adamsiella - ?

At Ocho Rios same +
Cyclotoma - ?

Helicina - ? dead
Cydonella brown?
Cydonella, 3 species
very small

Two species *Glandina*
Stenogyra - ?
Geomelania?

In Coconut Grove on dead

leaves & upon trees
fairly abundant a
Munda

Tudora - ?

On rocks

Trochaelita pulchella
Succinea - ? a few
dead specimens - some
a few gonites - place

In ... Roaring river with
about 200 specimens
of *Hemissinus lineolatus*?

They lie upon the pebbly
bottom in great abundance

Thursday Dec 21 / 93

St. Ann's Bay, To Fallacourt

On stone wall 1 1/2 miles
from St. Ann's

Cyclotoma - sp. ?

Cylindrella - ?

Bonilla - ?

Stenogyrus (a few)

Succinea angustior L.B.A.

Cave - ledge of white
honey comb limestone rock -

Helix panamensis -
dead ~~in~~ 3 in long - only
~~one~~ one specimen.

Sagda spiculosa Shuttle.

Cyclotoma album !

Cylindrella - ? red short
and fat

Hydrobia hollandi C.P.A.

Succ. angustior C.B.A.
" Sagua Ort.
Cyclotus subrugosus, Sby.

Fenchatella costata, Sby.
Helicina - ; 1st + fine
a few -
Cyclotus ruber, Chithy
Succidella -
Succinea - 2 species -
Cylichnella - 2, (The +
"stick" River specimens) -
Planorbis - ?
Zonitoides - ?
Stenogyrus striosa C.B.A.
On Stone wall near
Fenchatella -

One specimen of
Helix aspersa dead
in the ditch along the
road

Further along Towards
Falmouth on walls

Tudora - ?

Trochililla - ? Costata Shy

Cylindrella tenella C.B.A.

31
Friday Dec. 22 / 93

Falmouth to Montego Bay.

Comparatively little
collecting owing to
unpromising appearance of
country and the worthlessness
of our horses -

Cyclotus dubiosus C.B.A.

Cyclotonia — on piece
(stone)

Cylindrella gravesi, C.B.A.

Tudora + ? on
Cocoanut Palms - some
20 or 30 feet high on the
trunks of trees -

Trochilium costata, Sby.

At a coral beach near
Montego Bay we took
on and under limestone
rocks and pieces of

Coral

Merita piloronta

" *versicolor*

" *tessellata*

Sistrum nodulosum

Tectarius muricatus

Succia Tigrina

Naticauber?

Planaxis lineolatus

Campylus fasciatus

Idanella pusilla

Truncatella —?

Littorina lineata

Corithium algicola

" *rissoides*

Perna obliqua

Melampus caffer

33

Saturday Dec 23/93

Remained at Montego Bay - Went back about 3 or 4 miles up a mountain road S.E. from Town -

Collected along stone wall -
In woods under leaves & stones - & in a small valley under large stones -

Sagda epistylum Mill
Lucina - took four
and some three teeth -

Helix paracelsiana (young)
Helix - (globular white,
dead) *bouthiana*?

Cylindrella gravis, all
" (stick)

Glandina arcuata Pfr.

"

Cyclotus gemma Chitt
" subrugosus, Sby.

Proserpina opalina Wls

Alcadia browni, Gray

Stenogyra striosa C.B.A.

Cyclotus zigzag Chitt
" dubiosus, succae &
white compressed -

Succinea Sayra W.

Zonites - ?

Stictecula aurula

Stenogyra octona

Helicina (2 species)

Alcadia (2 species, dead)

Cyclotoma - ?

Trochastella pulchella

Adamsiella - ? (dead)

Stenogyra pallida C.B.A.

The Helicinas were
fairly abundant in woods
& at base of stone wall
among the dead leaves
and rubbish but all or
very nearly all has been
broken into just behind
the aperture by the birds

To all appearances -

The *Sagdas* all live deep down in piles of stones & back in among the large stones at base of walls -

Cyclotomas all live on the walls & during the heat of day crawl under the stones - Though some were taken on stone pile away from the walls & in the hot sun -

Succinea - ? (very black) quite abundant in a cocconut grove near the town - on the ground & in rubbish -

Many of the natives speak
of the *Itlix aspera* on
the underside of banana
leaves in groves back in
the mountain districts, but
not near the coast - As yet
we have taken but one
head specimen in the
road - evidently washed
down from the hills

Sunday Dec. 27 / 93

Remained again at
~~Montezuma~~ Bay on account
of illness Rne or
imaginary of our driver.

Simpson went
S.E. (Quinto No. 2)

Succisa —

Sagda Alligano

Hilicinia

Alcacia palliata v. *latiosa* ^{ca}

Cylindrella — (shk)

Geometaria in large

numbers on cocoanut

leaves. Not to under

bread fruit tree

Hilix aspera (dead, 8.)

Succinea -

Cyclotus dubiosum C.B.A.

Adamsiella - ? a

form (very beautiful)

Stenopoma solana

" = ?

Glaucina -

Imidella aurata

Zonitoides -

Helix trochiana ?

Cyclotus acrasium C.B.A.

Monday Dec. 25/93

From Montego Bay to
Savanna la Mar - Owing
to the painful illness of
the driver & the lesser than
usefulness of our horse
we were obliged to leave
some localities, that
promised rich collecting, with
a mere glance -

River near (8 miles) from
Montego Bay (Great River)
Neritina *testis*?
Physa *lineolata*

In pond some miles
further on

Physa *strobilifera*?
Planorbis - ? (one)

By fence near road
Stenogyra octonaria
 Fowler -

Hyalosagda arborescens C.B.A.
 Upon crossing the ridge
 in the center of the island
 & ascending to the
 East side - the character
 of the country changes
 from grass lands &
 forests to a region of
 far more luxuriance
 of vegetation - & a
 considerable change in
 the fauna takes place.

Cyclotus gemma Chitt.

Sadga alligata C.B.A.

Klicina - on trees
Sadga maxima Simp (N.S.)
 Abundant under stones by
 road side and ~~under~~ on
 Mountain - Also

Cyclotus acrasseus C.B.A.
" subrugosus, sby.
" jamaicensis Chem.

41
Helix — 2. (Small white)
Proserpina viscida and
Helix peracutissima (dead)
Zonitoides — (different)
Helix Maccullochi? (dead)
" jamaicensis (dead)
Cyclotus ingosus C.B.A.
Helix aspera (one dead)
Succinea — dead
Pomelania — (2 sp.)
Cylindrella alba C.B.A.
Pleurogyra —
Succinea Sagua Mt.
About 5 miles from
Savanna Laurus (on ~~plain~~
flat land below hills) along
the road - on dogwood tree
+ especially on "Bromelia
pinquim" (wild pine apple)
Helix aspera

42

Succinea — 2
(medium sized, light
with dark bands)

On vines also —
None observed on banana
plants as yet —

Halicia — 2. (RD) one
specimen (on pinguin)

Acadia ^{maxima C.B.A.} dead, large,
one on *Hecicaria*

Succinea — 2.

43

Tuesday Dec. 26 1933

Remained all day at
Savanna la Mar -

In logwood forest about
one mile inland from
the town

Dialium - 2 (41)

Heliconia - (21)

Eucema - (banded larv)

all in the cracks of trees
hidden far back - (The
heat so intense that I
was obliged to give up
collecting) - Some of
the Eucema at base of
air plants on logwood
trees -

Cyclotus jamaicensis Cham.

Sagda spiculosa Shuttle.

Glandina similis C.B.A.

Succinea Sagra Grb

44
Wt Pleasant - 7 miles

from Town -

Large *Sagda epistylum* ^{Wm}

Succinea - (small) - (2)

" - (large) - (2)

" - (banded var.)

Dialucosa - (dead)

" - (dark with
white spots - green) - (2)

Zonitoides - (conical)

" - (flat)

Helix bathiana?

Cylindrella sanguinea?

2 sp. *Planorbis* -

Stenogyra actona

" *striosa* C.B.A.

Succinea Augustin C.B.A.

Cyclotoma -

Tudora? (last white var.)

3 sp. *Helicina*

2 sp. *Geomelania*

Proserpina pulchra Ads.
" *discoidea* Ads.

Alcadia palliata Gray

Proserpina bidentata Ads.
Melix aspera (200)
Incidella aurata
Cyclotus acrasmus C.B.A.
Alcadia browni, Gray
The Ruess -

Pocenus fasciata (100)
(Alcad, 100) - 2 - 100 -
Egg abundant on
woods)

Acanthia -

Phaenobis -

Neotoma -

Hemiteles lineolatus

extremely abundant -

Mesochorus - (1)

Melix laevigata (100)

Melix aspera very
abundant - on two very
small log-wooden are
with in diam. bent

Together - 25 - being
about one half grown
specimen taken -

The small ones 15 -
Taken -

On ~~the ground~~ stuff
all on a piece of
land of about 1/4 acre
partially cleared -

Handful of the
Hemiptera could be
taken at once in water -
Sometimes an inch
or two deep in very
small streams

Had this been a wet
or cloudy day instead of

a clear one with a
powerful beam then
is no doubt that
much more would have
been seen -

Wednesday Dec 27/93

From Sacramento to
Black River -

Again owing to the
worst horses and our
driver's serious illness
we were unable to do more
than a short collection.
The weather was even tho'
the general appearance
of the country is favorable
for abundant collecting.

At a point E. of
Kings in a swamp where
breeders told us of
Ampullaria we found
nothing but

Physa
3 sp. Planorbis —
" —

Cylindrella gravei, Ads
Proserpinia pulchra Ads

Cyclotus biswicketi, Chitt
" aculeatum C.B.A.
" — ? H.S. ?

29
We dared not remain too
long in so unhealthy a
place -

In a barren grove
at foot of a limestone
hill we took some
dead specimens (though
fairly fresh)

Atlix parvicornis
Succinea - (large)

Near Bluefields

Microphysa -
Proserpinia discoides Ads
Teredo radfieldiana?
Juncus - (flat base)
Stenogura octonoides
Incidella aureola
Stenogura octonoides
" strigosa C.B.A.

Succinea angustior C.B.A.

One large *Adamsella*

C.

50
Tedora - (clean)

At a little Cove or bay
we took (washed up)

Lagda spiculosa Shuttle
" *connectans* C.B.A.

(Mundus - strong footed)

Cyprina -

Helicina fausta

Cardium muricatum

Succinea ferruginea

Pisum sphagnum

Glyphis listeri

Assurella nodosa

Stucyonia circulifera

Sigaretes muricatus

Bulla striata

Tridacna pilcaris

Merita peloronta

Neritina virginica

Trinia pediculus
Strombus filamentosus

At a river in Crossed
 near Blue fields
Strombus regius

C

52

Thursday Dec 28/93

Having discharged our
workless team at Black
River we proceeded on to
Maudsville by Mail Coach
Arriving at about 1 P.M.
giving us the afternoon to
collect at Maudsville but
practically no chance to
collect in water - ~~etc~~
Taking advantage of the
absence of open ice
here we took occasion to
glance along the sides
of the road noting the
extreme richness of the
locality & singing while
passing

Slagda - (Lays)

Cylindrella gracilis Wood

Cyclotus conyatus, Afr. (1)

Microceramus —

Dialucea — (diff from
Savignyi but same species)

Helix nemoralis?

Cyclotoma (or *Tudora*) —

Lucidella aurata (typical)

Hyaloragda roboroides C.B. & L.

Cyclotus (common)

Cylindrella cylindris

Cyclotoma — 1. *Lucidella* (small)

Microphysa —

On trees & shrubs

Helix aspera — (very
large, resembling the
green pig, leaves, etc.)

Cydo

Stoastoma

Stenogyra octonoides
Luccinea Sagra, 616

Proserpina nitida, Sby.

54

At Mandeville on hill
upon Brahaan's Estate - $\frac{1}{2}$
mile from Town - all
within $\frac{1}{2}$ acre extent -

Helix — 9

Stoastoma pium — few

— ? — ? (common?)

Helicaria — few

Stenogyra — (minute) few

Helicina — (small) —

Luccidella acicula

Acicula — (flat base)

Cylindrella elegans 580

(on trees + shrubs - stones
climbing 70 ft or more thick
hanging down)

Cylindrella — (580) 73.

Chamaepoma — 158

Trocharella pulchella 14

Proserpina — (larger) 46

Glandina similis Ads

Sagda epistylinum C.D.L.

St

St

L

Pre

Uccadia palliata Ads

Glandina — (fin)

Cyclostoma (tendera) —

Cyclostoma —

Sagda *

Succinea —

" *similis*

Cyclostoma (like *Adamella*) Adams

Helix paucicostata

Helix mucronata

55

11

3

27

14

71

100

30

2

Friday Dec 29/93

Remained at Mandeville
collecting at same place
as day before, on other
side of hill and upon trees
across small valley - same
results as before. The
same as to species only
in great quantities -

Uthia jamaicensis +
" *peruviana*
we took alive! as in
fact all of the following
with few exceptions

Exochus acuta
" *sinuata*

Uthia nemoralis (dead)
Diabroca —

Sagda epistylum Mill
" *cookiana* C.B.A.
(young)

Hyalosagda hollandi C.B.A.
Hyalosagda arboroides C.B.A.
Sagda epistylodes Fr

Succinea sacra Lk.

Cyclotus corrugatus Rf.
 " *tupis fortis* Chitty
 " *subrugosus* Sby.
 " *jamaicensis* Chem
 " *varians* C.B.A.

Chouanapoma (1000 at least)
Cyclotoma - (Double lip red)
 " - (Dark - 150 mott.)

Helix aspera

Cyclidella gracilis Wood
 " *rosea*

Cyclotus aculeatus C.B.A.
Glacina ligata C.B.A.

Uccadia palliata Ads.

Helicina —

Succidella aureola

" — (?)
Trochatalia pulchella
Prosopium nitida Sby.
 " *opalinia* Ads

Stenogyra octonoides

" — ?

11-12

Stenozona (?)
Gromelana —
 " —

Stenozona *pisum* C.B.A.
 " —

Helix? —?
Helix? *dealucan*?
Microphya —
 " —

Helix *tristissima*?
 " *Macanensis*?
Pupa?

Helix *peruviana* taken
 under large stones on
 mountain side

Helix *peruviana* at
 base of ledge of limestone
 far under —

Cleopatra on but
 generally under Mass Dred

Large stones -

The succinias are
appear to have away in
wet piles often some
distal so down -

Cylindrella elegans very
abundant on tree stumps
&c - on ground & rocks -

Cyclotus in talus slope -

This is our richest days
collecting -

This district is high
plain, without rivers &
apparently dry

Saturday Dec. 30/91³

By rail from Mandeville
to Kingston + Myrtle
Beach, hence no possible
collecting en route

In the afternoon
Simpson drove to "Mona
River" + collected

Tudora arcuata?
Choanopoma interruptum?
" " " " " "
Cyprina *lanceolata*?
" *lanceolata*, Ado

Helix maculata?
Stenogyra alternoides
Microphysa —

Littorina aurata

Stenogyra striosa C.B.A.

Lucidula — (flat)

Glandina —

Belimulus unicolor

Observed in large
numbers dead

to some extent

" "

Large jagged

Monday Jan 29 94

We both made a trip to Bon
walk by rail and collected
in the gorge of the Rio Cobre R.
just below the station

Helix (Lucerna) acuta large?
living + dead

" " sumata Fr?

" (Balcyna) nemoraloides

" (Cysticopa) luerriana?

" " luerriana?

Sagda Cookiana living + dead

" Alorua Afr.

" (Hyalosagda) arboroides 3/4

Microphyta —

" —

Fossils —

" Glaucoma provocans?

" similis

Sagda jayana, C.B.A.

Glaucoma Griffithii C.B.A.

Stenogyra octonoides
" *striosa* C.B.A.

Succinea sagra, Grb

Spuriantis

Stenogyra octonoides
Aplendrella elongata ^{new.} Abundant

" *rufa* C.B.A.

" *carnea* C.B.A.

" *nobilior* C.B.A.

" *summitata* C.B.A.

Succinea angustior C.B.A.

Vaginulus —

Hemysuccinea lineolata: Red color

Helix *maurici*: dead but
fresh

" *aspera* - dead but
fresh

Adamsiella grayana
Ludora fasciata

Helicena —

"
Chorospoma
Lusidella aureola

Cyclotus jamaicensis, Chem.
" varians C.B.A.
V. "A" Chitt

Cyclotus semi. nuda C.B.A.

Lucidella

Alcadia palliata C.B.A.

Cyclotus portiosus Chitt

Lucidella pulchella, Gray

Hirsinus lineolatus -

Proserpina opalina Ads

Tuesday Jan 2/94

Simpson spent day
at Bag Walk

He took practically
everything of the day before
only -

Tudora - (dead)

1 *Exia mangan* (dead)

Gromolacia -

Abundant high up
on mountain in
dry place -

Bag Walk is day
rich collecting, the
many species being
represented by large
number of individuals

And generally alive or
in good state of
preservation.

200

Cylindrella elegans
580

Cylindrella — 4

73

Encenia

100

Chosma

158

Cyprip

27

Galathea

12

Alcedia

11

Pomph

46

Paranema

30

Sagda

71

Trichactena

121

1124

Glandina

3
1127

Paid to Alexander Lee

At Port Antonio 6^s

" " Maria 14³

" Montego Bay 20⁰

" Falmouth 2²-6

" — 4

" Succumbalatta 10

" Black River 20

from Simpson

3-14-

3-4-

7
3
—
F. 18-

